

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,035,491 B2
APPLICATION NO. : 10/661891
DATED : April 25, 2006
INVENTOR(S) : Brent Everett Little

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 12: Delete “Zehbder” and replace with --Zehnder--.

Column 4, line 22: After the word “lower” delete the word “chadding” and replace with the word --cladding--.

Column 4, line 23: After the word “upper” delete the word “chadding” and replace with the word --cladding--.

Column 4, line 64: Delete the word “birefrigent” and replace with the word --birefringent--.

Column 4, line 66: Delete the word “birefrigent” and replace with the word --birefringent--.

Column 4, line 67: After the word “with” delete the word “then” and replace with --thin--.

Column 5, line 1: Delete the word “biregrigent” and replace with the word --birefringent--.

Column 5, line 2: Delete the word “borefrigent” and replace with the word --birefringent--.

Column 5, line 3: Delete the word “birefrigent” and replace with the word --birefringent--.

Column 5, line 6: After the word “invention” delete the “comma” and replace with a --period--.

Column 5, line 30: After the word “nitride” delete “(SN)” and replace with --(SiN)--.

Column 7, line 11: After the word “form” delete the word “birefrigence” and replace with the word --birefringence--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,035,491 B2
APPLICATION NO. : 10/661891
DATED : April 25, 2006
INVENTOR(S) : Brent Everett Little


Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 9: After the word "said" add the word --first--.

Signed and Sealed this

Twenty-ninth Day of August, 2006



U.S. PATENT AND TRADEMARK OFFICE
JON W. DUDAS

JON W. DUDAS
Director of the United States Patent and Trademark Office